

## Dr PAUL WINWOOD: PUBLICATIONS November 2016

### REFEREED PAPERS

Sedgewick AD, Blake DR, **Winwood PJ**, Moore AR, AL-Duaij, A and Willoughby DA. Studies into the Effects of the Iron Chelator Desferrioxamine on the Inflammatory Process. *Eur J Rheum Inflamm* 1984; 7:87-94.

**Winwood P**, Robertson DAF and Wright R. Bleeding oesophageal varices associated with anabolic steroid use in an athlete. *Postgrad Med J* 1990; 66: 864-5.

Kowalksi-Saunders PWJ, **Winwood PJ**, Arthur MJP and Wright R. Reversible inhibition of albumin production by rat hepatocytes maintained on a laminin rich gel (EHS) and subjected to secretory products of kupffer cells and cytokines. *Hepatology* 1992; 16: 733-741.

**Winwood PJ**, Iredale JP, Williamson P, Lesna M and Loehry CA. Thrombotic thrombocytopenia purpura (TTP) mimicking acute small bowel Crohn's disease. *Gut* 1992; 33: 857-859.

**Winwood PJ**, Mavrogiannis CC, Smith CL. Reduced sensitivity to intra-oesophageal acid in patients with reflux-induced strictures. *Scand J Gastro*. 1993; 28: 109-112.

McCullen M, Vyas SK, **Winwood PJ**, Loehry CA, Parnham DM, Hamblin T. Long term survival from metastatic small cell carcinoma of the oesophagus treated by chemotherapy, autologous bone marrow transplantation and adjuvant radiotherapy. *Cancer* 1994; 73: 1-4.

Alcolado R, Bowry J, **Winwood PJ**, Loehry CA. Systemic arteriovenous malformations. A feature of advanced liver disease. *Gut* 1994; 35: 1145-1147.

Arany E, Afford S, Strain AJ, **Winwood PJ**, Arthur MJP, Hill DJ. Differential cellular synthesis of insulin-like growth factor binding protein-1 IGFBP-1 *J Clin. Endocrinology Metabol* 1994; 79: 1871-1874.

**Winwood PJ**, Schuppan D, Iredale JP, Kawser A, Docherty AJP, Arthur MJP. Kupffer cell-derived 95 kD type IV collagenase/gelatinase B: Characterization and expression in cultured cells. *Hepatology* 1995; 22: 304-315.

Benyon RC, Iredale JP, Goddard S, **Winwood PJ**, Arthur MJP. Expression of tissue inhibitor of metalloproteinases-1 and -2 is increased in fibrotic human liver. *Gastroenterology* 1996; 110: 821-831.

Iredale JP, Ferris WF, Alcolado R, Benyon RC, **Winwood PJ**, Clark N, Arthur MJP. TIMP-1 Messenger RNA Expression is enhanced relative to Interstitial Collagenase Messenger RNA in Experimental Liver Injury and Fibrosis. *Hepatology* 1996; 24: 176-184.

Feeney M, Clegg A, **Winwood PJ**, Snook J. A case control study of measles vaccination and inflammatory bowel disease. *Lancet* 1997; 350: 764-766.

Kawser CA, Iredale JP, **Winwood PJ**, Arthur MJP. Rat hepatic stellate cell expression of alpha-2-macroglobulin is a feature of cellular activation (implications for matrix remodelling in hepatic fibrosis). *Clinical Science* 1998; 1995: 179-186.

Loehry J and **Winwood PJ**. A bleeding graft enteric fistula diagnosed by push enteroscopy. *Postgraduate medical Journal* 2002; 78; 372.

Loehry J, Foy D, Allen H, **Winwood PJ**. A case of achalasia and biliary dysmotility. *CME Journal* 2003.

Ainley EJ, **Winwood PJ** and Begley JP. Measurement of serum electrolytes and phosphate after sodium phosphate colonoscopy bowel preparation. *Digestive Diseases and Sciences* 2005; 50:1319-1323.

Wylie C, Geldart S, **Winwood, PJ**. Dietitian-led coeliac clinic: A successful change in working practice in modern healthcare. *Gastroenterology Today* 2005; 15: 11-12.

Maurice SB, Bell T, Daniels T, Fetterly CR, Nelson DR, Winwood PJ, Bourque WT, Harris RL. Tibial bone versican content decreases with zoledronate treatment in adult mice. Accepted with corrections. *Osteoporosis International* 2014; 25(7). DOI:10.1007/s00198-014-2700-y

Bukong TN, Maurice SB, Winwood PJ. Versican: A novel modulator of hepatic fibrosis. *Lab Invest* 2016; 96: 361-374.

Advance Online Publication (AOP) <http://www.nature.com/doi/10.1038/labinvest.2015.152>

## REFEREED CONFERENCE PROCEEDINGS

**Winwood PJ**, Kowalksi-Saunders P, Green I, Murphy G, Hembry RM and Arthur MJP. Kupffer cells release a 95 kD Gelatinase. In: Celemt B, Guillouzo A (eds) *Cellular and Molecular Bases of Liver Cirrhosis*. INSERM/John Libbey Eurotext Ltd. 1992; 216: 307-310.

**Winwood PJ**, Green I, Strain A, Arthur MJP. Release of 92 kD type IV collagenase/gelatinase by human kupffer cells and its expression in diseased human liver. In: Knook DL, Wisse E (eds) *Cells of the Hepatic Sinusoid Vol 4*. Leiden: The Kupffer Cell Foundation. 1993; 4: 301-303.

Iredale JP, **Winwood PJ**, Kawser CA, Arthur MJP. Lipocyte proliferation in the *C. parvum* model of macrophage-induced liver injury is associated with expression of 72 kD type IV collagenase/gelatinase. In: Knook DL, Wisse E (eds) *Cells of the Hepatic Sinusoid*. Leiden: The Kupffer Cell Foundation. 1993; 4: 105-108.

Goddard S, Iredale JP, Kawser CA, Ferris WF, **Winwood PJ**, Arthur MJP. Interstitial collagenase is expressed by cultured human lipocytes and is enhanced by autoimmune chronic active hepatitis but not in primary biliary cirrhosis but not in primary sclerosing cholangitis. Falk Foundation: Falk Symposium No 71; 22, 1993.

**Winwood PJ**, Kawser CA, Arthur MJP. Regulation of Kupffer cell derived 95 Kda type IV collagenase/gelatinase by injurious stimuli. Falk Foundation: Falk Symposium No 71; 81,1993

Benyon C, Iredale JP, Goddard S. **Winwood PJ**, Arthur MJP. Expression of gelatinase A and TIMP is increased relative to interstitial collagenase in fibrotic Human liver. *Int. J Pathol* 1995 (The British Connective Tissue Society meeting, April 1995).

Klassen-Ross, T, Horvat, D, **Winwood, P**. Northern Partners in Care - Improving Access to Quality Care in Rural and Remote Communities. Institute for Healthcare Improvement 2013 (website).

## **BOOK CHAPTERS AND REVIEW ARTICLES**

**Winwood PJ**. Arthur MJP. Kupffer cells: Their activation and role in animal models of liver injury and human liver disease.

*Semin Liver Dis* 1993; 13(1): 50-59

**Winwood PJ** and Arthur MJP. The role of Kupffer cells and sinusoidal endothelial cells in hepatic injury. In (eds) Strain AJ and Diehl AM. *Liver growth and repair. From basic science to clinical practice.* 1998; 482-501.

**Winwood PJ**. Commentary on Sclerotherapy plus octreotide versus sclerotherapy alone in the prevention of early rebleeding from oesophageal varices. A randomized double-blind placebo-controlled trial. *Adv Gastroenterology Hepatology Clin Nutrition* 1996; 1: 73-76.

**Winwood PJ**. Medical management of non-variceal upper gastrointestinal bleeding. In: Galley HF(ed) *Critical care focus 9: The Gut*; 53-68. BMJ Books 2002.

## **REFERRED ABSTRACTS**

**Winwood P**, Mavrogiannis C and Smith CL. Patients with reflux oesophageal strictures have reduced sensitivity to oesophageal acid. *Gut* 1991; 32: A586.

**Winwood P J**, Kowalkski-Saunders PS and Arthur MJP. Kupffer cells release a 95 kD metalloproteinase with degradative activity against gelatin. *Gut* 1991: A837-8.

**Winwood PJ**, Schuppan D, Arthur MJP. Partial purification and characterisation of Kupffer cell-derived 95 kD gelatinase. *Hepatology* 1992; 16:606.

Iredale JP, Green I, **Winwood PJ**, Freidman SL, Hembry RM, Arthur MJP. Immunostaining for tissue inhibitor of metalloproteinase-1 (TIMP-1) in cultured human stellate cells. *Hepatology* 1992; 16: 549.

**Winwood PJ**, Kawser CA, Arthur MJP. Regulation of Kupffer cell derived 95 kDa type IV collagenase/gelatinase; a mediator of liver injury. *Gut* 1993; 34: A719.

Iredale JP, Goddard S, Ferris WF, Kawser CA, **Winwood PJ**, Arthur MJP. Interstitial collagenase expression in cultured human hepatic lipocytes and diseased human liver. *Gut* 1993; 34: S21.

Kawser CA, **Winwood PJ**, Iredale JP, Arthur MJP. Regulation of lipocyte derived alpha 2 macroglobulin and 72 kDa type IV collagenase/gelatinase by Kupffer cell medium and dexamethasone. *Gut* 1993; 34: A719.

Hope AJ, **Winwood PJ**, Arthur MJP. Regulation of Kupffer cell-derived 95kDa type IV collagenase/gelatinase by glucocorticoids and prostaglandins. *Gut* 1993; 34: 4: S8.

**Winwood PJ**, Hope AJ, Kawser A, Arthur MJP. Regulation studies of the release and activation of Kupffer cell derived gelatinase B. *Int J Exp Pathol* 1994; 75: A45.

**Winwood PJ**, Lalazar A, Freidman SL. Gene induction in rat Kupffer cells during liver injury in vivo – identification by subtraction hybridisation and differential screening. *Hepatology* 1994; 20: A184.

Wright S, Meedham C, Iredale J, **Winwood PJ**, Arthur M, Sheron N. Expression of MIP-2, MCP-1, MIP-1b mRNA in experimental models of liver injury. The 4<sup>th</sup> International Chemokine Symposium, June 1995.

Hou D, Freidman S L, Lalazar A, Arthur MJP, **Winwood PJ**. Identification of a potential novel regulatory protein in Kupffer cell activation. *Gut*; 1996.

Jackson C, Vyas SK, Lesna M, Du Boulay C, **Winwood PJ**. Caecitis-proctitis: An unusual variant of ulcerative colitis. *Gut*; 1997.

Fallowfield JA, **Winwood PJ**, Davies N A, Lesna M. Surveillance for Barrett's oesophagus – Experience from a District Hospital. *Gut* 2002; 50: S11, A6.

Oo YH, Foy D, Allen H, **Winwood PJ** Oesophageal manometry and pH studies, change the management and outcome of patients with non cardiac chest pain. *Gut* 2002; 50: S11, A4.

Weaver SA, Mohanty S, Isaacs KL, **Winwood PJ**, Fine DR, Grimm IS, , Comparison of endoscopic experience obtained in an American and a British gastroenterology training program. *Gastrointestinal Endoscopy* 2004.

Weaver SA, Ainley EJ, Hickling M, Lesna M, Guha N, WinwoodPJ, McCullen MA. Prospective audit of the incidence of preparation colitis associated with sodium phosphate. *Gut* 2004: 53 S3; A178.

Muddu AK, Fallowfield JA, Davies N, Lesna M, **Winwood PJ**. Results from a five year cohort of patients undergoing surveillance for Barrett's oesophagus. *Gut* 2004: 53 S3.

Guha IN, Murphy P, Harris S, **Winwood P**, Milward-Sadler H, Iredale JP, Rosenberg WM. The assessment of liver fibrosis in a clinical and animal model using metabonomics. *Gut* 2006.

Maurice SB, Crick CL, Kim W-C, Law C, Norrie M, Kim S-E, **Winwood PJ**. Expression of versican and ADAMTS1, 4 and 9 by mouse hepatic stellate cells activated in tissue culture. *Canadian Journal of Gastroenterology* 2012: 26; A108.

Harris RL, Maurice SB, Daniels T, Bell T, Winwood PJ, Bourque WT, Nelson DR. Zoledronic Acid Decreases Bone Proteoglycan Content in Adult Mice. Poster Presentation, AOA/COA Combined

Meeting, Montreal QC, Jun 2014: 964.

Kuo KH, Hunsinger L, Winwood P. Development of academic accommodation plan for teaching anatomy to a medical student with severe aldehyde-hypersensitivity: an experience from a distributed program. Canadian Conference on medical Education 2015

Terence N. Bukong, Sean B. Maurice, Barinder Chahal, David F. Schaeffer and Paul J. Winwood. Versican: A Novel Modulator of Hepatic Fibrosis. *Hepatology*. 2015; 62(S1): A900.